










































# UHF RFID Tag(1)

Item No.	Model No.	Antenna Size(mm)	Antenna Shape	Chip	Label Size(mm)
1	IDU12	dia12		NXP U9/U9xe	dia16
2	IDU2412	24*12		NXP U9/U9xe	27*15
3	IDU3010	30*10		NXP U9/U9xe	33*13
4	IDU4115-FCC(US)	42*16		NXP U9/U9xe	44*18
5	IDU4216-ETSI(Euro)	42*16		NXP U9/U9xe	44*18
6	IDE4216	42*16		Fudan 51E Fudan 11E	44*18
7	IDU5030 IDE5030	50*30		NXP U9/U9xe; Fudan 51E/11E	53*33
8	IDU47	45*45		NXP U9/U9xe	50*50
9	IDU7014C	70*14		NXP U9/U9xe	73*21
10	IDU7017 IDE7017	70*17		NXP U9/U9xe; Fudan 51E/11E	73*21
11	IDU9424 IDE9424	94*24		NXP U9/U9xe; Fudan 51E/11E	98*27
12	IDU9503	95*3		NXP U9/U9xe	98*6; 115*6
13	IDU9640 IDE9640	95*8		NXP U9/U9xe; Fudan 51E/11E	98*10
14	IDU9662	70*17		NXP U9/U9xe	73*21
15	IDR4015	40*15		Impinj R6P	44*18
16	IDR5030	50*30		Impinj R6P	53*33
17	IDR7014	70*14		Impinj R6P	73*21
18	IDR1256	125*6		Impinj R6P	130*9

# UHF RFID Tag(2)

Item No.	Model No.	Antenna Size(mm)	Antenna Shape	Chip	Label Size(mm)
19	IDR12	dia12		Impinj R6P	dia16
20	IDMH47	45*45		Impinj M4E(3D) Impinj M4QT(3D)	50*50
21	IDM4216	42*16		Impinj M730/750	44*18
22	IDM5030	50*30		Impinj M730/750	53*33
23	IDM7014	70*14		Impinj M730/750	73*21
24	IDU7010	jewelry label		NXP U9/U9xe	96*23(foldable)
25	SM-MiniWeb (ARC Certified)	42*16		NXP U9	44*18
26	SM-Belt (ARC Certified)	70*14		NXP U9	73*21
27	SM-Web (ARC Certified)	50*30		NXP U9	53*33
28	LED-2411	24*11		KLV+LED	30*15
29	LED-9503	95*3		KLV+LED	100*12
30	IDU7023	retail label(flag tag)		NXP U9/U9xe	70*23
31	IDU4015	anti liquid label		NXP U9/U9xe	44*18
32	PTU-01	ABS Patrol Tag		NXP U9	Φ30; Φ40
33	PTU-02	ABS Patrol Tag		NXP U9	Φ30; Φ40
34	PE-01	TPU Animal Ear Tag		NXP U9	Φ29*10

















# UHF RFID Tag(3)

Item No.	Model No.	Label Type	Picture	Chip	Label Size(mm)
35	ID3015	anti metal tag		Impinj R6P	30*15*1.2
36	ID5515	anti metal tag		Impinj R6P	55*15*1.2
37	ID6025	anti metal tag		Impinj R6P	60*25*1.2
38	ID6535	anti metal tag		Impinj R6P	65*35*1.2
39	ID7030	anti metal tag		NXP U9/U9xe	70*30*1.2
40	ID8022	anti metal tag		NXP U9/U9xe	80*22*1.2
41	ID8040	anti metal tag		NXP U9/U9xe	80*40*1.2
42	ID9022	anti metal tag		NXP U9/U9xe	90*22*1.2
43	ID9522	anti metal tag		NXP U9/U9xe	95*22*1.2
44	ID9640	Anti metal tag, ABS hard tag		NXP U9/U9xe	135*21*11
45	PCB-3613	PCB On Metal Tag		NXP U9/U9xe	36*13
46	PCB-5213	PCB On Metal Tag		NXP U9/U9xe	52*13
47	PCB-8020	PCB On Metal Tag		NXP U9/U9xe	80*20
48	PCB-9525	PCB On Metal Tag		NXP U9/U9xe	95*25







# UHF RFID Tag(4)

Item No.	Model No.	Tag Type	Picture	Chip	Label Size(mm)
49	ID4216	ABS hard tag		NXP U9/U9xe	79*31*8.3
50	ID9662	ABS hard tag		NXP U9/U9xe	90*28*8
51	ZD4216	Cable Tie Tag		NXP U9/U9xe	68*24*4
52	ZD9662	Cable Tie Tag		NXP U9/U9xe	92*28*4
53	RHX5610	laundry tag(sewing)		NXP U9/U9xe	56*10
54	RHX7015	laundry tag(sewing)		NXP U9/U9xe	70*15
55	RHX7015	laundry tag(ironing)		NXP U9/U9xe	70*15
56	RHX7515	laundry tag(sewing)		NXP U9/U9xe	75*15
57	RHX8818	laundry tag(sewing)		NXP U9/U9xe	88*18
58	Clothing/Shoes Nylon Label			NXP U9/U9xe	60*30
59	Clothing/Shoes Ribbon Label			NXP U9/U9xe	60*30
60	Clothing Anti-theft Tag			EAS+UHF; 58KHz magnetic bar+UHF inlay+ABS	73*30.5*21
61	Windshield Tag(UV Protection)			NXP U9/U9xe	98*27
62	Marathon Timing Tag(Foam)			NXP U9/U9xe	100*30*3

# NFC Tag(1)

Item No.	Model No.	Antenna Size(mm)	Antenna Shape	Chip	Label Size(mm)
1	IDN0818	8*18		NTAG213; G213	11*21
2	IDN12	Φ=12		NTAG213; G213	Φ=14
3	IDN15	Φ=15		NTAG213; G213	Φ=18
4	IDN21	Φ=21		NTAG213; G213/215/216	Φ=25
5	IDN2611	26*11		NTAG213; G213	30*15
6	IDN35	Φ=35		NTAG213; G213	Φ38; Φ40
7	IDN3722	37*22		NTAG213; G213	40*25
8	IDN5215	52*15		NTAG213; G213	55*18
9	IDN7645	76*45		NTAG213; G213	86*54
10	IDF22	Φ=22		Fudan F08/M1	Φ=25
11	IDU22	Φ=22		UID/CUID (can copy Mifare Classic 1K chip)	Φ=25
12	IDF2611	26*11		Fudan F08/M1	30*15
13	IDF27	Φ=27		Fudan F08/M1	Φ=30
14	IDF3822	38*22		Fudan F08/M1	40*25
15	IDF5215	52*15		Fudan F08/M1	55*18
16	IDF7645	76*45		Fudan F08/M1	86*54

## NFC Tag(2)

Item No.	Model No.	Antenna Size(mm)	Antenna Shape	Chip	Label Size(mm)
17	IDI15	15*15		ICODE SLIX	18*18
18	IDI25	Φ=25		ICODE SLIX	Φ=28
19	IDI33	Φ=33		ICODE SLIX; ICODE SLIX 2	Φ=36
20	IDI3722	37*22		ICODE SLIX	40*25
21	IDI45	45*45		ICODE SLIX; ICODE SLIX 2; Fudan F01N; Fudan F02N	50*50
22	IDI7645	76*45		ICODE SLIX; ICODE SLIX 2; Fudan F01N; Fudan F02N	80*50; 86*54








## NFC Anti-metal Tag

Item No.	Model No.	Label Type	Product Picture	Chip	Label Size(mm)
1	IDN21	Wet Inlay		NTAG213; G213	Φ=25
2	IDF22	Wet Inlay		Fudan F08;M1	Φ=25
3	IDN21	White Label		NTAG213; G213	Φ=25
4	IDN22	White Label		NTAG213; G213	Φ=25
5	IDF22	White Label		Fudan F08;M1	Φ=25





# FPC Tag(off-metal;on metal)

Item No.	Model No.	Photo	Chip	Size(mm)	Application
1	FPC0410		NTAG213	4*10	bluetooth fast pairing, asset management, anti-counterfeiting, identity recognition
2	FPC-5S		NTAG213	5*5	bluetooth fast pairing, asset management, anti-counterfeiting, identity recognition
3	FPC-5R		NTAG213	Φ=5	bluetooth fast pairing, asset management, anti-counterfeiting, identity recognition
4	FPC-7SN		NTAG213	7*7	bluetooth fast pairing, asset management, anti-counterfeiting, identity recognition
5	FPC-7SM1		Fudan F08	7*7	asset management, identity recognition, access control, membership cards
6	FPC0615		NTAG213	6*15	bluetooth fast pairing, asset management, anti-counterfeiting, identity recognition
7	FPC813-N		NTAG213	8*13	bluetooth fast pairing, asset management, anti-counterfeiting, identity recognition
8	FPC813-M1		Fudan F08	8*13	asset management, identity recognition, access control, membership cards
9	FPC0918		Fudan F08	9*18	asset management, identity recognition, access control, membership cards
10	FPC1218-N		NTAG213	12*18	bluetooth fast pairing, asset management, anti-counterfeiting, identity recognition
11	FPC1218-M1		Fudan F08	12*18	asset management, identity recognition, access control, membership cards
12	FPC-7R		ICODE SLIX	Φ=7	smart dinner plates, gambling chips, sports, games and entertainment
13	FPC-8RE1		EV1	Φ=8	asset management, identity recognition, access control, membership cards
14	FPC-8RM1		Fudan F08	Φ=8	asset management, identity recognition, access control, membership cards
15	FPC-10RN		NTAG213	Φ=10	bluetooth fast pairing, asset management, anti-counterfeiting, identity recognition
16	FPC-10RM1		Fudan F08	Φ=10	asset management, identity recognition, access control, membership cards
17	FPC-10RI		ICODE SLIX	Φ=10	smart dinner plates, gambling chips, sports, games and entertainment


## FPC Tag(off-metal;on metal)

Item No.	Model No.	Photo	Chip	Size(mm)	Application
18	FPC-10S		NTAG213	10*10	bluetooth fast pairing, asset management, anti-counterfeiting, identity recognition
19	FPC-9R		NTAG213	Φ=9	bluetooth fast pairing, asset management, anti-counterfeiting, identity recognition
20	FPC-12R1		NTAG213	Φ=12	bluetooth fast pairing, asset management, anti-counterfeiting, identity recognition
21	FPC-12R2		NTAG215	Φ=12	bluetooth fast pairing, asset management, anti-counterfeiting, identity recognition
22	FPC-14R1		NTAG213	Φ=14	bluetooth fast pairing, asset management, anti-counterfeiting, identity recognition
23	FPC-14R2		NTAG213	Φ=14	bluetooth fast pairing, asset management, anti-counterfeiting, identity recognition
24	FPC-24R		ICODE SLIX	Φ=24	smart dinner plates, gambling chips, sports, games and entertainment

## NFC Laundry Tag











Item No.	Model No.	Photo	Chip	Material	Size(mm)
1	BT-01		ICODE SLIX NTAG213	PPS	Φ15*3
2	BT-02		ICODE SLIX NTAG213	PPS	Φ20*3
3	BT-03		NTAG213 NTAG215 NTAG216	PPS	Φ25*3
4	BT-04		ICODE SLIX NTAG213	PPS	Φ30*3

## NFC Patrol Tag

Item No.	Model No.	Photo	Chip	Material	Size(mm)
1	PTN-01		NTAG213 NTAG215 NTAG216	ABS	Φ30; Φ40
2	PTN-02		NTAG213 NTAG215 NTAG216	ABS	Φ30; Φ40



# RFID Card(1)

Item No.	Model No.	Card Type	Picture	Chip	Size(mm)
1	ZC4226	Epoxy NFC Card		F08/M1	42*26
2	ZC5030	Epoxy NFC Card		F08/M1	50*30
3	ZC-M1	PVC NFC Card		F08/M1	85.5*54*0.76
4	ZC-213	PVC NFC Card		NTAG213	85.5*54*0.76
5	ZC-215	PVC NFC Card		NTAG215	85.5*54*0.76
6	ZC-216	PVC NFC Card		NTAG216	85.5*54*0.76
7	ZC-UHF	PVC UHF Card		NXP U9/U9xe	85.5*54*0.76
8	ZC-SP	PVC UHF+NFC Dual Frequency Card		NXP U9/U9xe+ F08/M1	85.5*54*0.76
9	ZC-QB	PVC Coin Card		NTAG215/ F08/M1	Φ=18, 25, 30
10	ZC-LED	LED Lighting Card		NTAG216	85.5*54*1.0

# RFID Card(2)

Item No.	Model No.	Card Type	Picture	Chip	Size(mm)
11	WC-01	Wristband Card		NTAG213/M1/ Ultralight C	40*25, 35*26
12	WC-02	Wristband Card		Ultralight C	35*25
13	ZC-EV3	DESFire EV3 Card		D43/D83	85.5*54*0.86
14	ZC-MC	Custom 4C Printing Membership Card		M1/213	85.5*54*0.76
15	ZC-KC	Custom 4C Printing Hotel Key Card		M1	85.5*54*0.76
16	ZC-TK4100	125KHz Clamshell Card		TK4100	85.5*54*1.8
17	ZC-T5577	125KHz Hotel Key Card		T5577	85.5*54*0.9

# RFID Devices

Item No.	Model No.	Type	Picture	Frequency	Size(mm)
1	X1iD	300DPI desktop rfid printer		13.56MHz; 860-960MHz	208*310*195
2	C82	Handheld RFID Reader(Android 11.0, 3G+32G or 4G+64G)		860-960MHz; 13.56MHz	164.2*80*24.3
3	8001	desktop rfid reader		860-960MHz	128*115*20
4	1861-8dbi	integrated rfid reader		860-960MHz	235*235*57
5	1861-12dbi	integrated rfid reader		860-960MHz	455*455*55
6	S-8600	4-port rfid reader		860-960MHz	240*180*28
7	Spider 8000	8-port rfid reader		860-960MHz	133*84*22
8	M-2916	16-port rfid reader		860-960MHz	140*188*26
9	JG-U002	gate reader		860-960MHz	1496*370*59